

Dividers

Tranquility that embraces.





deblick

The peace to hear yourself think

Open spaces sometimes need dividers to functionally split an area. But what if dividers could be moved around easily to bring enclosure and privacy? If they would make you feel protected and bring a place at ease? The minimalist design of our Standing Dividers provide calmth and unity. Filled with all natural sheep wool that absorbs distracting work and discussion sounds. Let yourself be embraced by tranquility and enjoy the peace to hear yourself think.



In standard sizes
or made to measure





Dividers

Width	Height	Width	Height	Width	Height
800	1200	1000	1200	1200	1200
800	1400	1000	1400	1200	1400
800	1600	1000	1600	1200	1600
800	1800	1000	1800	1200	1800
800	2000	1000	2000	1200	2000

Other sizes upon request.

Plenty of possibilities,
optimal sound absorption





Dividers Hanging

Width	Height	Width	Height
1000	1200	1200	1200
1000	1400	1200	1400
1000	1600	1200	1600
1000	1800	1200	1800
1000	2000	1200	2000

Width	Height	Width	Height
1200	400	1200	600
1600	400	1600	600
1800	400	1800	600
2000	400	2000	600

The divine details



Frame

50mm, recycled aluminium frame in accordance with EN-486. Optional: footplate with wheels.

Frame colours

- RAL 9010 – Pure white
- RAL 9016 – White
- RAL 9005 – Black

Other RAL colours available upon request, please contact us for more information.

Filling


50mm sheep's wool 4500gr/m². Other fillings upon request.

Upholstery

A list of fabric colours is included in the Material List – please contact us for special requests. Createx printed upholstery (picture, corporate identity): DIN EN 13501-1.

Sound absorption

α_w 0,70 (NEN-EN-ISO 354)



Fire retardancy

Wool is naturally fire retardant. For the combustion of wool, 25,2% oxygen is needed. The air we breathe contains only 21% oxygen on average, which makes the material flame extinguishing. The flash point of wool can only be achieved at a temperature of circa 580°C.

Deblick is a certified company.



ecovadis

deblick.com

